



HAL
open science

High-precision elemental and stable isotope mapping of a Mesoarchean stromatolite: implications for primitive phototrophic metabolism and paleoecology

Lukas Nicol, Pierre Sans-Jofre, Philip Fralick, Munira Afroz, Laureline Patry, Martin Homann, Tristan Gobert, Stefan Lalonde

► To cite this version:

Lukas Nicol, Pierre Sans-Jofre, Philip Fralick, Munira Afroz, Laureline Patry, et al.. High-precision elemental and stable isotope mapping of a Mesoarchean stromatolite: implications for primitive phototrophic metabolism and paleoecology. Goldschmidt2021, Jul 2021, Virtual, France. 10.7185/gold2021.5228 . hal-03460650

HAL Id: hal-03460650

<https://hal.uca.fr/hal-03460650>

Submitted on 1 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution| 4.0 International License

High-precision elemental and stable isotope mapping of a Mesoarchean stromatolite: implications for primitive phototrophic metabolism and paleoecology

LUKAS NICOL¹, PIERRE SANS-JOFRE², PHILIP W. FRALICK³, MUNIRA AFROZ⁴, LAURELINE PATRY⁵, MARTIN HOMANN⁶, TRISTAN GOBERT⁷ AND STEFAN V. LALONDE⁸

¹CNRS - UMR 6538 Laboratoire Géosciences Océan

²IMPMC, CNRS, Sorbonne Université, MNHN

³Lakehead University

⁴CNRS-UMR6538 Laboratoire Géoscience Océan

⁵CNRS-UMR6538 Laboratoire Géosciences Océan

⁶University College London

⁷CNRS-UMR6539 LEMAR

⁸CNRS-UMR6538 Laboratoire Géosciences Océan

Presenting Author: lukas.nicol@etu.uca.fr

The 2.94 Ga Ball Assemblage of the Red Lake Greenstone Belt (Ontario, Canada) hosts the oldest thick carbonate platform found on Earth and the oldest undisputed stromatolites in the Northern Hemisphere. Among the diverse sedimentary lithologies associated with this platform, the stromatolitic carbonates present a unique opportunity to evaluate the metabolisms of primitive phototrophic bacteria by the coupled isotopic analyses of their inorganic carbon sources (reflected by the carbonate) and the biomass resulting from their metabolism (reflected by organic matter). We performed detailed elemental (micro-XRF mapping and HR-ICP-MS) and isotopic analyses ($\delta^{13}\text{C}_{\text{carb}}$, $\delta^{18}\text{O}_{\text{carb}}$ and $\delta^{13}\text{C}_{\text{org}}$) on a single stromatolite from the shoreline north of Galena Island to produce the first high-precision solution-mode trace element and IRMS-based isotopic mapping of a single Archean stromatolite (136 powdered samples covering approximately 20*30 cm), which we interpret alongside similar data from exploration drill cores spanning the platform as well as compiled data from other Archean carbonate platforms. While the carbonate isotopic compositions are relatively stable, organic matter shows a remarkable range in $\delta^{13}\text{C}_{\text{org}}$, spanning -25 to -10 ‰ (PDB). These values are not easily explained by methanogenesis, metamorphism, or variations in carbon source. Such values could represent the activity of anoxygenic photosynthesizers fixing carbon via the 3-hydroxypropionate bicycle (3HP), similar to modern-day Chloroflexi, however, the operation of this type of carbon fixation pathway during the Archean is controversial. This work reveals the underappreciated potential of high-precision, spatially-resolved stable isotope analysis of ancient stromatolites for understanding metabolic pathways and paleoecology in Earth's early phototrophic communities.